Ref. Certif. No.

DK-151833-M2-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL ENTERPRISES CO., LTD. No 28 Wuquan 3rd Rd, Wugu District New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL ENTERPRISES CO., LTD. No 28 Wuquan 3rd Rd, Wugu District New Taipei City 24891 Taiwan
Name and address of the factory Note: *When more than one factory, please report on page 2*	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan ☒ Additional Information on page 2
Ratings and principal characteristics	100-240Vac, 50/60Hz, 0.6A or 277 Vac, 50/60 Hz, 0.3 A for IRM-20-x models ☒ Additional Information on page 2
Trademark / Brand (if any)	MEAN WELL
Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	IRM-15-x and IRM-20-x (x can be 3.3, 5, 12, 15 or 24)
Additional information (if necessary may also be reported on page 2)	The report was revised to include technical modifications. Evaluated to National or Group Differences for EU Group Differences, AU, CA, CN, JP, NZ, SA, US ☒ Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2018
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-A6134-CB-1 issued on 2026-07-17

This CB Test Certificate is issued by the National Certification Body

UL Solutions

☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2026-07-17
Original Issue Date: 2024-04-09

Signature:
Thomas Wilson

Ref. Certif. No.

DK-151833-M2-UL

Factory(ies):
SuZhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, China

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH.
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou Guangdong 510890, China

YONGDEN TECHNOLOGY CORPORATION
345 MacArthur HighWay Tabang, Guiguinto, Bulacan 3015, Philippines

SuZhou MEAN WELL Technology Co., Ltd.
No.269, Changping Rd, Huangdai Town Xiangcheng District, Suzhou, Jiangsu, 215152, China

MEAN WELL INDIA ELECTRONICS PRIVATE LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE,PEENYA, Bengaluru (Bangalore) Urban, Karnataka, 560058, India

Additional Ratings:

100-240Vac, 50/60Hz, 0.35A or 277 Vac, 50/60 Hz, 0.17A for IRM-15-x models
see test report for details.

Evaluated to National Differences declared for:
EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020

Summary of Modifications:
Addition of Alt half load(0.9A) under Tma=70 °C for model IRM-20-12, see CB Test Report for details.

Additional information (if necessary)

☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2026-07-17
Original Issue Date: 2024-04-09

Signature:

Thomas Wilson

Ref. Certif. No.

DK-151833-M1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL ENTERPRISES CO., LTD. No 28 Wuquan 3rd Rd Wugu District New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL ENTERPRISES CO., LTD. No 28 Wuquan 3rd Rd Wugu District New Taipei City 24891 Taiwan
Name and address of the factory Note: *When more than one factory, please report on page 2*	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan ☒ Additional Information on page 2
Ratings and principal characteristics	100-240Vac, 50/60Hz, 0.6A or 277 Vac, 50/60 Hz, 0.3 A for IRM-20-x models ☒ Additional Information on page 2
Trademark / Brand (if any)	MEAN WELL
Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	IRM-20-x, IRM-15-x ☒ Additional Information on page 2
Additional information (if necessary may also be reported on page 2)	The report was revised to include technical modifications. National Differences: EU Group Differences, AU, CA, CN, JP, NZ, SA, US ☒ Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2018
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-A6134-CB-1 issued on 2024-12-02

This CB Test Certificate is issued by the National Certification Body

UL Solutions

☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-12-02
Original Issue Date: 2024-04-09

Signature: Thomas Wilson

Ref. Certif. No.

DK-151833-M1-UL

Factory(ies):
SuZhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, China

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH.
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou Guangdong 510890, China

YONGDEN TECHNOLOGY CORPORATION
345 MacArthur HighWay Tabang, Guiguinto, Bulacan 3015, Philippines

SuZhou MEAN WELL Technology Co., Ltd.
No.269, Changping Rd, Huangdai Town Xiangcheng District, Suzhou, Jiangsu, 215152, China

MEAN WELL INDIA ELECTRONICS PRIVATE LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE,PEENYA, Bengaluru (Bangalore) Urban, Karnataka, 560058, India

Additional Model Detail(s):
IRM-20-x, IRM-15-x, (x can be 3.3, 5, 12, 15 or 24)

Additional Ratings:

100-240Vac, 50/60Hz, 0.35A or 277 Vac, 50/60 Hz, 0.17A for IRM-15-x models
see test report for details.
Additionally evaluated to:
EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020
Summary of Modifications:
1. The manufacturer declares 70℃ for model IRM-15-15 of 198Vac and 264Vac under half load.;
2. Update layout for all models, in order to comply with standard IEC 61558

Additional information (if necessary)

☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-12-02
Original Issue Date: 2024-04-09

Signature:

Thomas Wilson

Ref. Certif. No.

DK-151833-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL ENTERPRISES CO LTD No 28 Wuquan 3rd Rd Wugu District New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL ENTERPRISES CO LTD No 28 Wuquan 3rd Rd Wugu District New Taipei City 24891 Taiwan
Name and address of the factory Note: *When more than one factory, please report on page 2*	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan ☒ Additional Information on page 2
Ratings and principal characteristics	100-240Vac, 50/60Hz, 0.6A or 277 Vac, 50/60 Hz, 0.3 A for IRM-20-x models, 100-240Vac, 50/60Hz, 0.35A or 277 Vac, 50/60 Hz, 0.17A for IRM-15-x models see test report for details.
Trademark / Brand (if any)	MEAN WELL
Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	IRM-15-x, IRM-20-x (x can be 3.3, 5, 12, 15 or 24)
Additional information (if necessary may also be reported on page 2)	**Additionally evaluated to:** EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020 National Differences: EU Group Differences, AU, CA, CN, JP, NZ, SA, US ☐ Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2018
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-A6134-CB-1 issued on 2024-04-09

This CB Test Certificate is issued by the National Certification Body

UL Solutions

☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-04-09

Signature:
Thomas Wilson

Ref. Certif. No.

DK-151833-UL

Factory(ies):
SuZhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, China

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH.
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou Guangdong 510890, China

YONGDEN TECHNOLOGY CORPORATION
345 MacArthur HighWay Tabang, Guiguinto, Bulacan 3015, Philippines

SuZhou MEAN WELL Technology Co., Ltd.
No.269, Changping Rd, Huangdai Town Xiangcheng District, Suzhou, Jiangsu, 215152, China

MEAN WELL INDIA ELECTRONICS PRIVATE LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE,PEENYA, Bengaluru (Bangalore) Urban, Karnataka, 560058, India

Additional information (if necessary)

☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-04-09

Signature:

Thomas Wilson