



Declaration of Conformity

For the following equipment :

Product Name: AC/DC Switching Adapter

Model Designation: NGE65xyzzzz, NGE45xyzzzz, (x=E,I,UK, y=05, 09, 12, 15, 18, 24, 48, zzzz=maybe Blank, -,0~9,A~Z or a~z for market purpose)

is herewith confirmed to comply with the requirements set out in the Council Directive, the following standards were applied :

RoHS Directive (2011/65/EU)、(EU)2015/863

Low Voltage Directive (2014/35/EU) :

EN 62368-1:2014+A11:2017

Dekra Certificate: 35-134681

EN 60335-1:2012+A15:2021

Dekra Certificate: 35-135133

EN IEC 61558-1:2019 EN 61558-2-16:2009/A1:2013

Dekra Certificate: 35-135132

MDR Directive (EU) 2017/745 :

EN 60601-1:2006+A2:2021 ; EN 60601-1-11:2015+A1:2021

Dekra Certificate: 35-134871

EN 60601-1-2:2015+A1:2021

Electromagnetic Compatibility Directive (2014/30/EU) :

EMI (Electro-Magnetic Interference)

Conducted emission	EN 55032:2015+A1:2020 EN 55032:2015+A11:2020	
Radiated emission	EN 55011:2016+A2:2021	Class B
Harmonic current	EN IEC 61000-3-2:2019+A1:2021	Class A
Voltage flicker	EN 61000-3-3:2013+A1:2019	Clause 5

EMS (Electro-Magnetic Susceptibility)

EN 55035:2017+A11:2020	EN IEC 61204-3:2018	EN 60601-1-2:2015+A1:2021
ESD air	EN 61000-4-2:2009	Level4 15KV
RF field susceptibility	EN IEC 61000-4-3:2020	Level 2 3V/m(80MHz~2.7GHz)
RF field susceptibility	EN IEC 61000-4-3:2020	Table 9 9~28V/m (385MHz~5.78GHz)
EFT bursts	EN 61000-4-4:2012	Level 3 2KV
Surge susceptibility	EN 61000-4-5:2014+A1:2017	Level 3 1KV/Line-Line
Conducted susceptibility	EN 61000-4-6:2014	Level 2 3V
Magnetic field immunity	EN 61000-4-8:2010	Level 2 3A/m
Voltage dip, interruption	EN IEC 61000-4-11:2020	<5% residual voltage for 0,5cycle, 70% residual voltage For 25cycles, <5% residual voltage for 250 cycles

Note:

The power supply is considered as a component that will be operated in combination with final equipment. Since EMC performance will be affected by the complete installation, the final equipment manufacturers must re-qualify EMC Directive on the complete installation again.

For guidance on how to perform these EMC tests, please refer to TDF (Technical Documentation File).

The product under declaration is just a unit without medical function. Complete MDR should only be verified when it is used together with particular medical device(s).

Energy-Related Products Directive (2009/125/EC) :

Ecodesign requirements for no-load condition electric power consumption and average active efficiency of external power supplies (EU)2019/1782

This Declaration is effective from serial number SC4xxxxxxx

Person responsible for marking this declaration :

MEAN WELL Enterprises Co., Ltd.

(Manufacturer Name)

No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 24891, Taiwan

(Manufacturer Address)

Eris Wu/ Director, Group R& D :

(Name / Position)

(Signature)

Alex Tsai/Director, Product Strategy Center :

(Name / Position)

(Signature)

Taiwan

(Place)

Jan. 11th, 2024

(Date)